

# 700 GALLONS/24 HOURS

Customized The Permeable Flow GPD

**400G**  
1.05L/Min

**500G**  
1.31L/Min


**600G**  
1.58L/Min

**700G**  
1.84L/Min





# Two Filter Four Stages Filtration



## MULTI-STAGE PCB FILTER

Effectively remove the rust, insect, sediment, suspended, substance remanent chlorine, Thms, peculiar smell

**06–12** Months


## RO FILTER

Effectively refuse the remanent pesticide, heavy metal, bacterial, virus, Mineral Salt

**24–36** Months



# High Quality GE Reverse Osmosis Membrane Sheet



0.0001 $\mu\text{m}$



# FAST FLOW INSTANT DIRECT DRINKING WATER

Saving- Time To Do More



# HIGH-EFFICIENCY CONTROL OF THE WASTEWATER RATE

2 : 1



Purified Water




Waste Water



# TWO FILTERS

FOUR STAGES ACCURATE FILTRATION





# DIRECT DRINKING PURE WATER

Family Health Begging From The Filtrated  
Pure Water By 4 Stages



Drinking water



Cooking



Milk




Wash face



Coffee



# Intelligent Leakage Inspection System





# INNOVATIVE INTEGRATED DESIGN OF WATERWAY PATENTED


Waterway & Powerway Separation Design

Stop  
leakage risk

Strong pressure  
resistance

Reduce pipe  
connection

More Safer





# INTELLIGENT CONTROL

Filter Expiration Intelligent Reminder



POWER

RO

PCB

RESET

POWER

RO

PCB

RESET




# SPACE-**SAVING** COMPACT TANKLESS DESING

Low Noise Design Keep The Silence In House




Lower 55 db





# 🕒 30 MINUTES QUICK INSTALLATION

## Installation Diagram





# MULTI-STAGE PCB 3 IN 1 FILTER

## Life Time:12 Months

1 PCS PCB FILTER



=

PP Filter



+

Carbon Filter




+

Intercept Scale



Double O-ring Design  
Stop Leakage Risk



1-5µm Accuracy

Smaller pores  
Melt blown technology

Material: Food Grade Polypropylene

+




Excellent Adsorption

Abrasion resistant

Material: Food Activated carbon

+




Material: Intercept Scale



# MULTI-STAGE PCB 3 IN 1 FILTER

## Life Time:12 Months

1 PCS PCB FILTER



=

PP Filter



+

Carbon Filter



+

Intercept Scale



Double O-ring Design  
Stop Leakage Risk




Material: Food Grade Polypropylene

+



Material: Food Activated carbon

+



Material: Intercept Scale

# RO FILTER

## Life Time: 24–36 Months



### Reverse Osmosis

Membrane High Filtration Accurate To  
**0.0001 Micron**

+


**NSF**

NSF International

789N. Dixboro Road, Ann Arbor, MI 48105 USA

RECOGNIZES

+





# ⌚ 6 SECONDS EASY TO REPLACE TWO FILTERS

Convenient Replacement By Yourself



1.Open The Cover



2.Push The Lock



3.Lift The Handle



4.Take The Filter Up



5.Move Out The Expired Filter



6.Change To The New Filter



7.Filter Connection  
(Press The Handle Down)




8.Completed The  
Filter Connection


# PRODUCT LIST



RO Purifier X 1




Filter Element X 2



Faucet X 1




Accessory Kit X 1



Power Supply X 1



PE Tube X 2



Three Way Ball Valve



User Manual



# SPECIFICATION

Product Name	LARGE 700 GPD HIGH FLOW TANKLESS RO PURIFIER
Model	CM-R700
Warranty	1 years
Dimensions	475(L)*275(W)*440(H) mm
Rated Power	60W
Rated Voltage	110 V / 220 V
Inlet Pressure	0.1–0.4 Mpa
Operation Temperature	4–10 °C
Pure Water Capacity Limit	2000 L
Filtration Grade	4
RO Filtration Accuracy	0.0001 Micron
OEM & ODM	Accept
Color	Blue/Pink/Green/White/Grey
Capacity	700 GPD
Pure Water Flow	1.84L/Min